BLUR RELIEF- jacobaea maritima, calcium fluoride, conium maculatum flowering top, euphrasia stricta, gelsemium sempervirens root, sodium chloride, ruta graveolens flowering top liquid

TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Blur Relief

Active Ingredients	Purpose
Cineraria Maritima HPUS 5X	Cloudy Vision
Calcarea fluorica HPUS 13X	Opacities
Conium Maculatum HPUS 6x	Poor Night Vision
Euphrasia (Eyebright) HPUS 6x	Dryness, Redness
Gelsemium HPUS 6x	Blurry vision
Natrum Muriaticum HPUS 6x	Difficulty reading
Ruta Graveolens HPUS 6x	Tired Eyes

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses:*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:

- Blurry Vision
- Dry, Red & Tired Eyes
- Poor Night Vision (Glare)
- Difficulty reading after serious causes have been ruled out by a physician.

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

For External Use Only.

- This product is intended to complement not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- Physician should always be consulted to rule out serious conditions.
- **If pregnant or breast-feeding,** ask a health professional before use.
- Contact lens wearers consult physician prior to using.
- To avoid contamination do not touch tip to any surface.

^{*}These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

- Replace cap after every use.
- Use within 30 days of opening.
- EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.
- The use of this container by more than one person may spread infection.

Do not use:

• If solution changes color or becomes cloudy. • If you frequently contract infections that do not clear up easily. • If you experience eye pain or changes in vision.

Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye. The condition worsens. The condition persists for more than 72 hours.
- Keep out of reach of children.
- In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Directions:

• Suitable for adults and children ages 2 and over. • Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. • Use several times per day as needed. • Use within 30 days of opening. • Expiration date only refers to unopened bottle. • Homeopathic remedies may not be effective for everyone. • May take up to 60 days to see results.

Other information:

- There are no known contraindications
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. Blur Relief Homeopathic Sterile Eye Drops are homeopathic dilutions: see www.thereliefproducts.com for details.
- Store at room temperature 15° to 30° C (59° to 86° F).
- Keep bottle tightly closed

Inactive ingredients:

Benzalkonium Chloride, Purified Water, Sodium Chloride, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

Questions or comments?

www.thereliefproducts.com, 1-888-969-6855



Blur Relief

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated

NDC # 17312-002-11

Drug Facts

Active ingredients	Purpose
Cineraria maritima HPUS 5X	Cloudy vision
Calcarea fluorica HPUS 13X	
Conium maculatum HPUS 6X	
Euphrasia officinalis HPUS 6X	
Gelsemium sempervirens HPUS 6X	
Natrum muriaticum HPUS 6X	Difficulty reading
Ruta graveolens HPUS 6X	Tired eyes

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

 According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Blurry vision • Dry, red, and tired eyes Poor night vision (glare)
 Difficulty reading
 Cloudy vision; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
• A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. . This product is intended to complement, not replace, standard medical treatment. . Initial worsening of symptoms may occur. . If pregnant or breast-feeding, ask a health professional before use. · Contact lens wearers: Consult a physician before use. . Keep out of reach of children. . In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination – do not touch tip to any surface.

• Replace cap after every use. • Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE. . The use of this container by more than one person may spread infection.

Do not use if: . Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision.

Stop use and ask a doctor if: . You experience eye pain, changes in vision, continued redness or irritation of the eye. . The condition worsens.

BOTTLE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

· Symptoms last longer than

Directions

 Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

Non-prescription products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Blur Relief® Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

> Do not use if tamper evident seal is tom, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.



The Relief Products



Sterile Eye Drops Silver Sulfate Free



- Blurry vision
- Tired eves
- Difficulty reading

Stay Healthy, Naturally."

100% Natural Active Ingredients

HOMEOPATHIC MADE IN THE USA 0.5 FL OZ (15 mL)











Also try our AgingEye Relief®, PinkEye Relief®, and Stye Relief®. All are Women's Most Recommended products in their category.



WOMEN'S CHOICE AWARD

Blur Relief®

Gotas estériles para los ojos. Libre de Sulfato de Plata

Alivia Temporalmente: • Visión borrosa

- Oios cansados
- Difficultad para leer

Drug Facts are in Spanish on the Interior of this carton.
Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2018 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115. 1575 Deductricane #115, Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com

> PLEASE RECYCLE Ini1117

> > R0618

NON COATING AREA .3595" X 0.8121"



Active ingredients

Cineraria maritima HPUS 5X; Calcarea fluorica treat infections. • Store at room temperature HPUS 13X; Conium maculatum HPUS 6X; 15° to 30° C (59° to 86°F).• Keep bottle Euphrasia officinalis HPUS 6X; Gelsemium tightly closed. • To avoid contamination: Do sempervirens HPUS 6X; Natrum muriaticum not touch tip to any surface. • Replace cap HPUS 6X; Ruta graveolens HPUS 6X

are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

 Suitable for adults and children ages 2 and over.
 Homeopathic Pharmacopaer of the United Children under the age of 2: Consult a physician States and are therefore non-toxic with no. before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. are homeopathic dilutions, for details see Individual results may vary.

Inactive ingredients

Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate honobasic water, Sodium phosphate monobasic water (Sodium phosphate monobasic water), Sodium phosphate monobasic water (Sodium phosphate monobasic water), Sodium phosphate monobasic water (Sodium phosphate monobasic water), Purified water (Sodium phosphate monobasic water), Purified water (Sodium phosphate monobasic water), Purified water (Sodium phosphate water), Purified water, Sodium phosphate water, S dibasic, Sodium phosphate monobasic

Other information

Refer to outer carton for complete information.

 Non-prescription drug products cannot after every use. • Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS "HPUS" indicates the active ingredients of this product TO THE UNOPENED BOTTLE. • The use of this container by more than one person may spread infection. . Active ingredients are micro-diluted in accordance with the States and are therefore non-toxic with no known side effects or contraindications.

• Blur Relief® Homeopathic Sterile Eye Drops

www.thereliefproducts.com.

www.thereliefproducts.com, 888-969-6855

Do not use if tamper evident seal is torn, broken or missing.

BLUR RELIEF

jacobaea maritima, calcium fluoride, conium maculatum flowering top, euphrasia stricta, gelsemium sempervirens root, sodium chloride, ruta graveolens flowering top liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-002
Route of Administration	INTRAOCULAR		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
JACOBAEA MARITIMA (UNII: U4B223LS4X) (JACOBAEA MARITIMA - UNII:U4B223LS4X)	JACOBAEA MARITIMA	5 [hp_X] in 1 mL	
CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	13 [hp_X] in 1 mL	
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	6 [hp_X] in 1 mL	
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 mL	
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639 KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639 KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X] in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	6 [hp_X] in 1 mL	
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII: N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	6 [hp_X] in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
WATER (UNII: 059QF0KO0R)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
CITRIC ACID MONO HYDRATE (UNII: 2968 PHW8 QP)		
SODIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:17312-002- 11	1 in 1 PACKAGE	06/01/2006		
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2006	

Labeler - TRP Company (105185719)

Revised: 4/2020 TRP Company